

FortiGate/FortiWiFi®-60C Series

Integrated Threat Management for Frontline Locations

Enterprise-Class Protection for Remote Offices, Retail, and Customer Premise Equipment

FortiGate/FortiWiFi-60C series of consolidated security appliances deliver comprehensive enterprise-class protection for smaller locations, branch offices, customer premise equipment (CPE) and retail networks. An integrated set of essential security technologies deployed in a single device protects all of your applications and data. Simple per-device pricing, an integrated management console, and remote management capabilities significantly reduce your procurement, deployment and administration costs.

Comprehensive Protection and Optional Wireless Capability

FortiGate consolidated security appliances deliver an unmatched range of security technologies. They integrate essential firewall, IPSec and SSL VPN, application control, intrusion prevention, antivirus, and web filtering protection into a single device at a single price, all managed from a “single-pane-of-glass” console. They also include other security technologies, such as data loss prevention (DLP), encrypted SSL inspection, endpoint NAC, and vulnerability management.

FortiWiFi-60C/CM/CX appliances deliver the protection and performance you need with the convenience of wireless networking. Dual-band capabilities and support for 802.11a/b/g/n standards ensure compatibility with your existing network infrastructure. Multiple SSID support allows you to create multiple wireless access networks, enabling unencrypted guest or contractor access to the Internet while limiting access to corporate networks.

Compact yet robust security appliances

- Ideal for smaller locations, branch offices, customer premise equipment (CPE) and retail networks
- Runs on FortiOS 5 - the most powerful security operating system in the world delivers more security to fight advanced threats, more control to secure mobile devices, and more intelligence to build secure policies
- Purpose-built FS1 SoC processor delivers Gigabit firewall throughput
- FortiExplorer setup utility provides easy setup and configuration
- Backed by Fortinet’s global FortiCare technical support and FortiGuard threat research teams for around-the-clock protection and support

Key Features & Benefits


Unified Security Architecture	Multi-threat protection from a single device increases security and lowers costs
Simple Licensing	Hassle-free unlimited user licensing and comprehensive feature-set increases ease of deployment and maintenance
Multi-Port Interfaces	Multiple network interfaces and optional wireless/ADSL connectivity enables flexible deployment and improves protection with multiple security zones




The Fortinet FS1 System-on-a-Chip

The FortiGate/FortiWiFi-60C series represent a new generation of desktop network security appliances from Fortinet, and include the first Fortinet System-on-a-chip (SoC), the FS1. Integrating FortiASIC acceleration logic together with a RISC-based main processor and other system components, the FS1 SoC simplifies appliance design and enables breakthrough performance for smaller networks.

The FS1 and resulting FortiGate/FortiWiFi-60C series appliances allow large distributed enterprises to provide integrated, multi-threat protection across all points on their network without sacrificing performance.



FortiGate-60C



FortiGate-60C-SFP



FortiWiFi-60C

(Wireless antennas not shown)



FortiWiFi-60CM

(Wireless antennas not shown)



FortiWiFi-60CX-ADSL-A

(Wireless antennas not shown)



FortiGate-60C-POE



HIGHLIGHTS

Complete and Real-time Security

Fortinet designed FortiOS to deliver the advanced protection and performance that standalone products simply cannot match. The integrated technologies work together as a system to provide better visibility and mitigation of the latest network and application threats, stopping attacks before damage can occur. FortiGuard Subscription Services provide automated, real-time, up-to-date protection against security threats.

Industry Validation

The FortiGate family of physical and virtual appliances has earned more certifications than any other vendor by consistently meeting rigorous third-party standards. Our industry-leading technology provides you with air-tight security.

Unique Visibility and Control

FortiOS gives you greater visibility and more consistent, granular control over users, devices, applications and data. Dashboard widgets allow administrators to quickly view and understand real-time network activities and threat situations while reputation-based analysis quickly identifies potentially compromised systems.

Ease of Use

FortiOS lowers costs and reduces IT staff workloads. Physical or virtual FortiGate appliances give you the flexibility to match your security to your environment while enforcing a uniform security policy. Single pane of glass management and centralized analysis ensure consistent policy creation and enforcement while minimizing deployment and configuration challenges.

PCI Compliance Out-of-the-Box

Fortinet simplifies your network security assessment-ready PCI compliance without sacrificing performance. Retail, health care, and other affected industries can ease the process of PCI DSS assessment-readiness with an ISO security framework and unified threat management approach.

World-Class Technical Support and Documentation

Fortinet FortiCare support offerings provide comprehensive global support for all Fortinet products and services. You can rest assured your Fortinet security products are performing optimally and protecting your users, applications, and data around the clock.

FortiOS Dashboard - Single Pane of Glass Management



FortiOS - The World's Most Advanced Security Operating System

- Client reputation measurements to identify compromised systems in real time
- On-device behavior-based heuristic engine for protection against advanced threats
- Cloud-based threat protection with operating system sandbox
- Mobile device identification that lets you apply specific access policies to smartphones and tablets
- Next Generation Firewall functions, including Application Control and IPS
- Data Loss Prevention to protect critical information
- Web filtering to prevent access to malicious or inappropriate web sites
- Web-based GUI, 'single pane of glass' management console and on-board reporting for unmatched visibility and control

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet

SPECIFICATIONS

	FORTIGATE-60C	FORTIGATE-60C-SFP	FORTIGATE-60C-POE	FORTIWIFI-60C	FORTIWIFI-60CM	FORTIWIFI-60CX-ADSL-A
Hardware Specifications						
10/100/1000 WAN Interfaces (RJ45)	2	2	1	2	2	2
10/100/1000 Switch Interfaces (RJ45)	5	5	-	5	5	4
GbE SFP WAN Interfaces	-	1	-	-	-	-
10/100/1000 POE+ / POE Switch Interfaces (RJ45)	-	-	4 / 20	-	-	-
10/100 Switch Interfaces (RJ45)	-	-	-	-	-	4
10/100/1000 DMZ Interfaces (RJ45)	1	-	-	1	1	-
ADSL2+ Annex A and M Interface	-	-	-	-	-	1
Wireless Interface	-	-	-	802.11 a/b/g/n	802.11 a/b/g/n	802.11 a/b/g/n
Modem Port	-	-	-	-	1	-
Management Console Interface (RJ45)	-	-	-	1	-	-
USB Interfaces (Client / Server)	1 / 1	1 / 1	1 / 0	1 / 1	1 / 1	1 / 1
ExpressCard Slot	1	-	-	1	1	1
System Performance						
Firewall Throughput (1518 / 512 / 64 byte UDP packets)	1 / 1 / 1 Gbps					
Firewall Latency (64 byte UDP packets)	4 µs					
Firewall Throughput (Packets Per Second)	1.5 Mpps					
Concurrent Sessions (TCP)	400,000					
New Sessions/Sec (TCP)	3,000					
Firewall Policies	5,000					
IPSec VPN Throughput (512 byte packets)	70 Mbps					
Gateway-to-Gateway IPSec VPN Tunnels	50					
Client-to-Gateway IPSec VPN Tunnels	500					
SSL-VPN Throughput	19 Mbps					
Concurrent SSL-VPN Users (Recommended Max)	100					
IPS Throughput	135 Mbps					
Antivirus Throughput (Proxy Based / Flow Based)	20 / 40 Mbps					
Virtual Domains (Max / Default)	10 / 10					
Max Number of FortiAPs (Total / Tunnel Mode)	10 / 5					
Max Number of FortiTokens	100					
Max Number of Registered FortiClients	200					
High Availability Configurations	Active / Active, Active / Passive, Clustering					
Unlimited User Licenses	Yes					
Dimensions						
Height x Width x Length (in)	1.50 x 8.50 x 5.83 in (38 x 216 x 148 mm)	1.50 x 8.50 x 5.91 in (38 x 216 x 15 mm)	1.75 x 17.32 x 12.28 in (44 x 440 x 312 mm)	1.50 x 8.50 x 6.18 in (38 x 216 x 15 mm)	1.50 x 8.50 x 6.18 in (38 x 216 x 15 mm)	1.75 x 13.56 x 8.27 in (44 x 344 x 210 mm)
Weight	1.9 lbs (0.9 kg)	1.9 lbs (0.9 kg)	10.2 lbs (4.7 kg)	1.9 lbs (0.9 kg)	1.9 lbs (0.9 kg)	1.9 lbs (0.9 kg)
Environment						
Power Required	100-240 VAC, 50-60 Hz					
Power Consumption (Avg / Max)	11 / 13 W	11 / 13 W	263 / 310 W	11 / 13 W	11 / 13 W	11 / 13 W
PoE Power Budget	-	-	185 W	-	-	-
Heat Dissipation	49 BTU/h	49 BTU/h	1058 BTU/h	49 BTU/h	49 BTU/h	49 BTU/h
Operating Temperature	32 - 104 °F (0 - 40 °C)					
Storage Temperature	-31 - 158 °F (-35 - 70 °C)					
Humidity	20 to 90% non-condensing					
Compliance						
FCC Part 15 Class B, C-Tick, VCCI, CE, UL/cUL, CB						
Certifications						
ICSA Labs: Firewall, IPSec, IPS, Antivirus, SSL VPN; FIPS 140-2 Level 2 (hardware); CC EAL4+						

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files.

ORDER INFORMATION

SKU	Description
FG-60C	8 x GE RJ45 ports (Including 2 x WAN ports, 1 x DMZ port, 5 x switch ports), ExpressCard slot
FG-60C-SFP	7 x GE RJ45 ports (Including 1 x WAN ports, 1 x DMZ port, 5 x switch ports), 1 x GE SFP Slot
FG-60C-POE	25 x GE RJ45 Ports (including 1 x Management port, 20 x PoE ports, 4 x PoE+ ports)
FWF-60C	8 x GE RJ45 ports (Including 2 x WAN ports, 1 x DMZ port, 5 x switch ports), Wireless (802.11a/b/g/n), ExpressCard slot
FWF-60CM	8 x GE RJ45 ports (Including 2 x WAN ports, 1 x DMZ port, 5 x switch ports), Wireless (802.11a/b/g/n), ExpressCard slot, analog V.90 modem
FWF-60CX-ADSL-A	6 x GE RJ45 ports (including 2 x WAN ports, 4 x switch ports), 4 x FE switch ports, Wireless (802.11a/b/g/n), ADSL2+ Annex A interface, ExpressCard slot

FORTIWIFI-60C SERIES SKU SUFFIX

Region/Country	International	Korea	Japan	Configurable
SKU Suffix	-I	-K	-J	No Suffix
Frequency Range (GHz)	2.400 - 2.483	2.400 - 2.483	2.400 - 2.483	2.400 - 2.483
	5.100 - 5.250	5.150 - 5.250	5.150 - 5.250	5.150 - 5.250
		5.725 - 5.825	5.250 - 5.350*	5.725 - 5.850
			5.470 - 5.725*	

*Requires FortiOS 4.3.10 or later with DFS feature enabled

GLOBAL HEADQUARTERS

Fortinet Inc.
1090 Kifer Road
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
Fax: +1.408.235.7737

EMEA SALES OFFICE

120 rue Albert Caquot
06560, Sophia Antipolis,
France
Tel: +33.4.8987.0510
Fax: +33.4.8987.0501

APAC SALES OFFICE

300 Beach Road #20-01
The Concourse
Singapore 199555
Tel: +65.6513.3730
Fax: +65.6223.6784

LATIN AMERICA SALES OFFICE

Prol. Paseo de la Reforma 115 Int. 702
Col. Lomas de Santa Fe,
C.P. 01219
Del. Alvaro Obregón
México D.F.
Tel: 011-52-(55) 5524-8480



Copyright© 2013 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, and FortiGuard®, are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance metrics contained herein were attained in internal lab tests under ideal conditions, and performance may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to the performance metrics herein. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any guarantees. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Certain Fortinet products are licensed under U.S. Patent No. 5,623,600.