VIA SERIES PEDESTAL MOUNT

TALKAPHONE

AC-PM SERIES

VIA ACCESS & COURTESY COMMUNICATION PEDESTAL



THE VIA ACCESS AND COURTESY COMMUNICATION PEDESTAL IS A CONNECTION POINT BETWEEN YOU AND YOUR DESTINATION. THIS STYLIZED PEDESTAL IS AVAILABLE WITH CARD READER AND PUSH PLATE SWITCH OPTIONS, AND INCLUDES A BLUE LED LIGHT BAND WHICH CHANGES TO GREEN TO INDICATE ACCESS GRANTED. THE PEDESTAL IS A STREAMLINED, ECONOMICAL DESIGN FOR BUILDING ENTRANCEWAYS.

FEATURES

- This stylized pedestal is available with card reader and push plate options
- Includes a VOIP-200 Series Compact IP Call Station with the AC-PM
- Blue LED light band changes to green to indicate when door is unlocked
- 16 GA steel construction
- 12 GA, 316 stainless steel front panels
- Card reader available with or without keypad for extra layer of security
- Vandal-resistant with coating designed to resist extreme weather conditions
- ADA-compliant
- Streamlined, economical design for building entranceways. Ideal for building access, parking access, and walkway courtesy communication.

GENERAL SPECIFICATIONS	AC-PM Series
Construction:	*Pedestal: 16GA (0.06") steel* *Front Panels: 12GA (0.105") 316 stainless steel* *Pedestal is rated NEMA 3R* *Call station is rated IP66*
Dimensions (W x H x D):	*AC-PM: 9.12 x 55.17 x 4.03 in. (231.6 x 1401.3 x 102.3 mm* *AC-PM (NCS Type): 9.12 x 44.23 x 4.03 in. (231.6 x 1123.4 x 102.3 mm)*
Weight:	*AC-PM: 35 lbs. (15.9 kg)* *AC-PM (NCS Type): 30 lbs. (13.6 kg)*
Colors:	*Black with stainless steel front panels is standard.* *Custom paint colors available.*
Lighting:	*LED Light Band: Ultra-bright LEDs change from blue to green to indicate when door is unlocked by attendant station*
Mounting:	*Mounts to concrete foundation. Optional bolt kit available.*
Power:	*24VDC (110VAC supported with optional power supply)*

ACCESSORY OPTIONS



AVM-1

IP Video Attendant Station



Touchless Push Plate Switch



Card Reader



Card Reader with Keypad



Push Plate Switch



VOIP-200C



VOIP 200C3



VOIP-200H



VOIP-200H3

ORDERING INFORMATION


Base Model	Mount Type	Configuration Number	VOIP-200 Series Model	Card Reader Type	Touchless Push Plate
AC-	PM- *Pedestal Mount*	1 *Call station only* 2 *Call station with card reader* 3 *Call station with push plate* 4 *Call station with card reader and push plate* 5 *Call station with 36-inch push plate*	C *Includes VOIP-200C* C3 *Includes VOIP-200C3* H *Includes VOIP-200H* H3 *Includes VOIP-200H3* NCS *Excludes VOIP-200 Series IP Call Station*	-K *With keypad* ***Leave blank for no keypad***	-TL *With touchless push plate* ***Leave blank for no touchless push plate***
Example: AC-PM-3H					
AC-	*PM-*	*3*	*H*		

	Via Series Card Reader	Via Series Card Reader with Keypad
		
HID Part Number	*900PTNNEK00000*	*921PTNNEK00000*
HID Base Model	*RP10*	*RPK40*
Communications Interface	*Wiegand*	*Wiegand*
125 kHz Credential Compatibility (multiCLASS only)	*HID Prox, AWID, EM4102*	
13.56 MHz Credential Compatibility	*iCLASS, iCLASS SE, iCLASS Seos, MIFARE Classic (CSN), MIFARE DESFire EV1 (CSN)*	
Panel Connection	*Pigtail - 18" (0.45m)*	*Pigtail - 18" (0.45m)*
Keypad Output	-	*8-bit burst*


All specifications are subject to change without notice.

DIMENSIONAL DIAGRAMS


All dimensions are in inches and are provided for reference only.



FRONT VIEW



SIDE VIEW



TOP VIEW

TALKAPHONE

THE LEADERS IN SECURITY AND LIFE SAFETY COMMUNICATIONS

7530 North Natchez Avenue
Niles, Illinois 60714

Tel: 773-539-1100
Email: info@talkaphone.com
Web: www.talkaphone.com

ACCESSORIES:

IP Video Attendant Station:
Model: AVM-1:

- Displays video from IP call station with IP camera for monitoring access to facilities.

- Multiple call stations can be connected to multiple master stations to create a robust access control system. AVM-1 can support up to 30 call stations.

TERMS OF USE AND LIMITED WARRANTY

Talk-A-Phone, LLC warrants Talk-A-Phone Emergency Phone, Call Station, Wide-Area Emergency Broadcast System, and Area of Rescue equipment against any defects in material and workmanship, under normal use, for a period of twenty-four (24) months from date of installation, provided that Talk-A-Phone receives a completed "Installation Certification" certifying the date on which the system has been installed. An "Installation Certification" card is enclosed with every unit. In the event that no "Installation Certification" is received by Talk-A-Phone, the twenty-four (24) months will commence on the date of shipment by Talk-A-Phone. Warranty period for the metal elements of models in the GP Series Pedestals, MT Series Towers, MTE Series Towers, MT/R Series Towers, PM Series Pedestals, SM Series Surface Mounts, Via Series Mounts, and WM Series Wall Mounts is five (5) years, under the same terms and conditions. Warranty period for Intercommunication Products is twelve (12) months, under the same terms and conditions.
THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

Copyright 2018 Talk-A-Phone, LLC
All Rights Reserved

Rev. 1.1 08/30/18